

SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

# Safety Data Sheet

# Section 1: Identification

# **Product Identifier and Other Means of Identification**

**Product Name: 415** 

Other Means of Identification: Ferric Chloride

Related Part # 415-500ML, 415-1L, 415-4L, 415-20L

#### **Recommended Use and Restriction on Use**

**Use:** Etchant for printed circuit boards and photoengraving processes

Uses Advised Against: Not available

# **Details of Manufacturer or Importer**

#### Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

+1-800-340-0772 +1-800-340-0773 FAX E-MAIL support@mgchemicals.com **W**EB www.mgchemicals.com

MG Chemicals (Head Office)

9347-193 Street

Surrey, British Columbia V4N 4E7

CANADA

+1-905-331-1396 FAX +1-905-331-2682 E-MAIL info@mgchemicals.com

**E-MAIL** (Competent Person): sds@mgchemicals.com

# **Emergency Phone Number**

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call CHEMTREC at +1-800-424-9300

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones



# FERRIC CHLORIDE

415-LIQUID

# **Section 2: Hazard(s) Identification**

# **Classification of Hazardous Chemical**

# **GHS Categories**

Criteria		Category	Signal Word	Pictograms
Eye Damage		1B	Danger	Corrosion
Corrosive to Metals		1	Warning	Corrosion
Skin Irritation		2	Warning	Exclamation
Acute Toxicity	Oral	4	Warning	Exclamation
Hazardous to the Aquatic Environment	Acute	3	none	none

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

# **Label Elements**

Signal Word	DANGER
Pictograms	Hazard Statements
	H318: Causes serious eye damage
TE	H290: May be corrosive to metals
	H315: Causes skin irritation
	H302: Harmful if swallowed
	H402: Harmful to aquatic life
No symbol mandated	
manuateu	

Section continued on the next page

Page 2 of 16



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

Continued...

Prevention	Precautionary Statements
P102	Keep out of reach of children.
P280	Wear eye protection, face protection, and protective gloves.
P234	Keep only in original packaging.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
Response	Precautionary Statements
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P390	Absorb spillage to prevent material-damage.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P332 + P313	If skin irritation occurs: Get medical advice or attention.
P362 + P364	Take off all contaminated clothing and wash it before reuse.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P330	Rinse mouth.
Storage	Precautionary Statements
P406	Store in corrosion resistant container with a resistant inner lining.
Disposal	Precautionary Statements
P501	Dispose of contents in accordance to local, regional, national, and international regulations.

# **Hazards Not Otherwise Classified**

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

# **Section 3: Composition/Information on Ingredients**

CAS #	AS # Chemical Name	
7705-08-0	iron trichloride (FeCl <sub>3</sub> )	37-42%
7647-01-0	hydrochloric acid	1.0%
7758-94-3	iron dichloride (FeCl <sub>2</sub> )	<1.0%

<b>A</b> 41	4 - 4 4 4 4	
Saction	4: First-Aid	Magelirae
OCCHUIL		

Exposure Condition	GHS Code/Symptoms/Precautionary Statements
IF IN EYES	P305 + P351 + P338, P310
Immediate Symptoms	burns, severe irritation, redness, pain
Response	Rinse cautiously with water for 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Immediately call a POISON CENTRE or doctor
IF ON SKIN	P302 + P352, P362 + P364, P332 + 313
Immediate Symptoms	redness, pain, brown stain on skin
Response	Wash with plenty of water.
	If skin irritation occurs. Get medical advice or attention.
	Take off immediately all contaminated clothing and wash it before reuse.
IF SWALLOWED	P330, P301 + P312
Immediate Symptoms	irritation, abdominal pain, nausea, vomiting, diarrhea
Response	Rinse mouth.
	If you feel unwell, call a POISON CENTRE or doctor.
IF INHALED	P304 + P340
Immediate Symptoms	irritation, cough, sore throat
Response	Remove person to fresh air (out of the contaminated zone) and keep comfortable for breathing.



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-Liquid

# **Section 5: Fire-Fighting Measures**

**Extinguishing Media** In case of fire: Use extinguishing media suitable for surrounding

material.

**Specific Hazards** Not flammable or combustible. Produces irritating and toxic

fumes in fires or in contact with hot surfaces.

Prolonged contact with metals in an enclosed space may

produce explosive quantities of hydrogen gas.

**Combustion Products** Above >200 °C, toxic and corrosive gases including chlorine,

hydrogen chloride, and iron oxides may be released.

**Fire-Fighter** Wear self-contained breathing apparatus and full fire-fighting

turn-out gear.

# **Section 6: Accidental Release Measures**

**Personal Protection** See personal protection recommendations in Section 8.

Precautions for

Response

Avoid breathing the mist, spray or fumes.

Environmental

**Precautions** 

Avoid releasing to the environment. Prevent spill from entering

drains and waterways.

**Containment Methods** 

Contain with inert and non-flammable absorbent (such as soil,

sand, vermiculite).

Cleaning Methods

Neutralize with lime  $(Ca(OH)_2 \text{ or } CaCO_3)$  or soda ash/sodium carbonate  $(Na_2CO_3)$ . Collect liquid in a plastic container. Wash spill area with soap and water to remove the last traces of

residue.

**Disposal Methods** 

Dispose of spill waste according to Section 13.



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

# **Section 7: Handling and Storage**

**Prevention** Keep out of reach of children.

Do not eat, drink or smoke when using this product.

Take off all contaminated clothing and wash it before reuse.

Avoid release to the environment.

**Handling** Keep only in original packaging. Absorb spillage to prevent

material-damage. Collect spillage.

Wear eye protection, face protection, and protective gloves.

Wash thoroughly after handling.

**Storage** Store in corrosion resistant container with a resistant inner

lining.

# **Section 8: Exposure Controls/Personal Protection**

# **Substances with Occupational Exposure Limit Values**

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
iron trichloride <sup>a)</sup> (soluble iron salt)	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	Not established Not established Not established Not established Not established Not established
iron dichloride <sup>a)</sup> (soluble iron salt)	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	Not established Not established Not established Not established Not established Not established
hydrogen chloride	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	Not established Not established Not established Not established Not established Not established	2 ppm (Ceiling) 5 ppm (Ceiling) 2 ppm (Ceiling) 4.7 ppm (Ceiling) 4.7 ppm (Ceiling) 5 ppm (Ceiling)

Section continued on the next page

Page **6** of **16** 



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

#### Continued...

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH<sup>1</sup>, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS<sup>2</sup> database and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Limit for iron salts, soluble as Fe

# **Engineering Controls**

**Ventilation** Keep airborne concentrations below the occupational exposure

limits (OEL).

# **Personal Protective Equipment**

**Eye protection** Wear appropriate protective eyeglasses or chemical safety

goggles.

**RECOMMENDATION:** Ensure that glasses have side shields for

lateral protection.

**Skin Protection** For likely contacts, use of protective butyl rubber or other

chemically resistant gloves.

For incidental contacts, use nitrile or other chemically resistant

gloves.

**Respiratory Protection** For over-exposures up to 10 x OEL of mist or spray, wear

respirator such as a N95 particulate respirator or an AG acid gas

respirator.


Above 10 x OEL, use a positive-pressure, air-supplied respirator

or a self-contained breathing apparatus.

**RECOMMENDATION:** Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional.

# **General Hygiene Considerations**

Wash hands thoroughly with water and soap after handling.





SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

# Section 9: Physical and Chemical Properties

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Dark red-brown	Upper Flammability Limit	Not applicable
Odor	Slight acidic/iron	Vapor Pressure @20°C	Negligible
Odor Threshold	Not available	Vapor Density	1 (Air = 1)
рH	<2	Relative Density @25 °C	1.38-1.49
Freezing/Melting	-50 °C	Solubility in	Soluble
Point	[-58 °F]	Water	
Initial Boiling	110 °C	Partition Coefficient	Not
Point	[230 °F]	n-octanol/water	available
Flash Point	Not	Auto-ignition	Not
	applicable	Temperature <sup>b)</sup>	available
Evaporation	>1	Decomposition	Not
Rate	(BuAc=1)	Temperature	available
Flammability	Not	Viscosity	Not
(solid, gas)	available	@25 °C	available

# Section 10: Stability and Reactivity

Reactivity	Reacts with metals to form flammable hydrogen gas. React with alkalis (bases).
<b>Chemical Stability</b>	Chemically stable at normal temperatures and pressures
Conditions to	Avoid extreme heat, open flames, and incompatible substances.
Avoid	Do not use in a manner that forms fumes, vapors, or mist.
	Above >200 °C, toxic and corrosive gases including chlorine, hydrogen chloride, and iron oxides may be released.
Incompatibilities	Alkali metals, allyl chloride, ethylene oxide, nylon, styrene, strong oxidizing agents, strong bases
Polymerization	Will not occur
Decomposition	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.

Page **8** of **16** 




# ISO 9001:2015 Quality Management System SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Page **9** of **16** 





#### FERRIC CHLORIDE

415-LIQUID

# **Section 11: Toxicological Information**

# **Summary of Effects and Symptoms by Routes of Exposure**

Eyes Causes redness, severe irritation, pain, or burns.

Skin Causes redness, pain, or brown stains on skin.

**Inhalation** Inhalation of vapors or mist may cause coughing, respiratory tract

irritation, or sore throat.

Exposure to large doses of hydrogen chloride can cause cough,

labored breathing, and shortness of breath.

**Ingestion** May cause severe irritation to the mouth, throat, esophagus, and

stomach. In large doses, it may also cause abdominal pain, nausea,

vomiting, diarrhea.

**Chronic** No known effects

# **Acute Toxicity (Lethal Exposure Concentrations)**

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
iron trichloride	316 mg/kg	Not	Not
	Rat	available	available
iron dichloride	300 mg/kg	2 000 mg/kg	Not
	Rat	Rat	available
hydrochloric acid	238—277 mg/kg	5 010 mg/kg	4.2 mg/L
	Rat	Rabbit <sup>a)</sup>	1 h Rat (gas)

*Note:* Toxicity data from the RTECS<sup>2</sup> and ECHA databases were consulted. The data from supplier SDSs were also consulted.

a) Monsanto reported value

Section continued on the next page



(allergic reactions)

#### ISO 9001:2015 Quality Management System

SAI Global File #004008

415-LIQUID

Burlington, Ontario, Canada

# FERRIC CHLORIDE

# **Other Toxicological Effects**

(risk of fetus malformation)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Mixture causes severe eye damage.

Sensitization Based on available data, the classification criteria are

not met.

Carcinogenicity Not classified or listed as a carcinogen under IARC,

(risk of cancer) ACGIH, CA Prop 65, or NTP.

Mutagenicity Based on available data, the classification criteria are

(risk of heritable genetic effects) not met.

**Reproductive Toxicity** Based on available data, the classification criteria are

(risk to sex functions) not met.

**Teratogenicity** Based on available data, the classification criteria are

not met.

**STOT-single exposure** Does not give rise to classification, because the

concentration of hydrochloric acid is below the

classification threshold.

**STOT-repeated exposure** Based on available data, the classification criteria are

not met.

**Aspiration hazard** Based on available data, the classification criteria are

not met.

# **Section 12: Ecological Information**

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<a href="http://echa.europa.eu">http://echa.europa.eu</a>), and other reliable sources.

Iron trichloride is a category 3 acute aquatic pollutant with a LC50 48 h of 23 mg/L for Oryzias latipes; EC50 9.6 mg/L Daphnia magna (water flea).

Iron dichloride is a category 3 acute aquatic pollutant with a LC50 96 h of 46.6 mg/L for Oryzias latipes; EC50 19.0 mg/L Daphnia magna (water flea).

Hydrochloric acid is a category 2 acute aquatic pollutant with a LC50 24 h of 4 mg/L for Carassius auratus (goldfish); EC50 48 h of 1.5 mg/L Daphnia magna (water flea).

Section continued on the next page

SAI Global File #004008

Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

# **Acute Ecotoxicity**

Category 3

Harmful to aquatic life

Avoid release to the environment. Collect spillage.

# **Chronic Ecotoxicity**

Based on available data, the classification criteria are not met.

#### **Biodegradability**

The content is not readily biodegradable.

#### Bioaccumulation

Not available

#### **Other Effects**

Not available

# **Section 13: Disposal Information**

Dispose of contents in accordance with all local, regional, national, and international regulations.

# **Section 14: Transport Information**

#### Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); USA DOT 49 CFR (Parts 100 to 185) Regulations.

Sizes 5 L and under

415-500ML, 415-1L, 415-4L

**Limited Quantity** 

Sizes greater than 5 L

415-20L

**UN number:** UN2582 **Shipping Name:** 

FERRIC CHLORIDE SOLUTION

Class: 8

Packing Group: III Marine Pollutant: No



Section continued on the next page

Page 12 of 16



SAI Global File #004008

Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

#### Air

#### Refer to ICAO-IATA Dangerous Goods Regulations.

Sizes 1 L and under

415-500ML\*

**Limited Quantity** 

Y841

Combination Pack Net QTY per Inner Container 0.5 L

Total Net Qty/Pkg = 1 L



Sizes up to 5 L (Passenger), 60 L (Cargo)

415-500ML, 415-1L, 415-4 L\*\*

UN number: UN2582

Shipping Name: FERRIC CHLORIDE

SOLUTION Class: 8

Packing Group: III

Marine Pollutant: No

Special Provision A803: Must use

Packing Group II packaging.



\* Must be repackaged in combination pack with 1 L max net quantity.

\*\* Size 415-4L may be transported by cargo aircraft only.

#### Sea

# Refer to IMDG regulations.

Sizes 5 L and under

415-500ML, 415-1L, 415-4L

**Limited Quantity** 



Sizes greater than 5 L

415-20L

UN number: UN2582 **Shipping Name:** 

FERRIC CHLORIDE SOLUTION

Class: 8

Packing Group: III Marine Pollutant: No.



Note: Shipper must be appropriately trained and certified before involvement with the transport of dangerous goods.

SAI Global File #004008 Burlington, Ontario, Canada

#### FERRIC CHLORIDE

415-Liquid

# **Section 15: Regulatory Information**

#### Canada

# **Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)**

All hazardous ingredients are listed on the DSL/NDSL.

# Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

# **USA**

#### **Other Classifications**

#### **HMIS® RATING**

# HEALTH: 2 FLAMMABILITY: 0 PHYSICAL HAZARD: 1 PERSONAL PROTECTION:

#### NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

# CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain ingredients that are listed as hazardous air pollutants.

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product contains iron dichloride (CAS# 7758-94-3; reportable quantity = 100 lb), iron trichloride (CAS# 7705-08-0; reportable quantity = 1000 lb), and hydrochloric acid (CAS# 7647-01-0; reportable quantity = 5000 lb), which can be subject to the CERCLA reporting requirements.

This product does not contain ingredient listed in section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

**California Proposition 65** (Chemicals known to cause cancer or reproductive toxicity)

This product does not contain any listed substances in California.

#### **Europe**

**RoHS** (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

**WEEE** (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment and is therefore not governed by this regulation.

#### **Section 16: Other Information**

**SDS Prepared by** Michel Hachey **Date of Issue** 13 February 2019 **Supersedes** 04 January 2018

**Reason for Changes:** Clarification to air transport Section 14.

#### Reference

- 1) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)
- 2) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

Section continued on the next page

Page **15** of **16** 



SAI Global File #004008 Burlington, Ontario, Canada

# FERRIC CHLORIDE

415-LIQUID

#### **Abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists (USA)

BBP Butyl benzyl phthalate
DBP Dibutyl phthalate

DEHP Bis(2-ethylhexyl) phthalate

DIBP Diisobutyl phthalate

EC50 Half maximal effective concentration EL50 Half maximal effective loading

IARC International Agency for Research on Cancer

NOELR No observable effect loading ratio NTP National Toxicology Program

GHS Globally Harmonized System of Classification of Labeling of Chemicals

LC50 Lethal Concentration 50%

LCLo Lowest published lethal concentration

LD50 Lethal Dose 50%

OEL Occupational Exposure Limit PEL Permissible Exposure Limit

SDS Safety Data Sheet

STEL Short-Term Exposure Limit

TCLo Lowest published toxic concentration

TWA Time Weighted Average VOC Volatile Organic Content

**Technical Queries** Contact us regarding any questions, improvement suggestions, or

problems with this product. Application notes, instructions, and FAQs

are located at www.mgchemicals.com.

Email: <a href="mailto:support@mgchemicals.com">support@mgchemicals.com</a>

Mailing Addresses Manufacturing & Support Head Office

1210 Corporate Drive 9347–193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6 V4N 4E7

**Disclaimer** This safety data sheet is provided as an information resource only.

*M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of the part that are destricted as a sum of the part of the part

using and handling the product in accordance with local, regional,

national, and international regulations.